

United States Patent and Trademark Office

W

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/048,035	06/11/2002	Wolf Bertling	10848-017001	1180
7590 09/11/2006		EXAMINER		
Mark S Ellinger Ph D			BAUSCH, SARAE L	
Fish & Richardson 60 South Sixth Street Suite 3300 Minneapolis, MN 55402			ART UNIT	PAPER NUMBER
			1634	
•			DATE MAILED: 09/11/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)				
Office Action Summary		10/048,035	BERTLING ET AL.				
		Examiner	Art Unit				
		Sarae Bausch	1634				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address							
Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status							
1)⊠	Responsive to communication(s) filed on 19 Ju	ne 2006.					
	This action is FINAL . 2b) This action is non-final.						
3) 🗌	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Dispositi	on of Claims						
4)⊠ Claim(s) <u>1-16,18-27 and 29-33</u> is/are pending in the application.							
4a) Of the above claim(s) is/are withdrawn from consideration.							
5) Claim(s) is/are allowed.							
6)⊠	6)⊠ Claim(s) <u>1-16,18-27 and 29-33</u> is/are rejected.						
•	7) Claim(s) is/are objected to.						
8)□	Claim(s) are subject to restriction and/or	r election requirement.					
Applicati	on Papers						
9) The specification is objected to by the Examiner.							
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.							
	Applicant may not request that any objection to the	drawing(s) be held in abeyance. See	e 37 CFR 1.85(a).				
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority u	ınder 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some ★ c) None of:							
1. Certified copies of the priority documents have been received.							
2. Certified copies of the priority documents have been received in Application No							
3. Copies of the certified copies of the priority documents have been received in this National Stage							
application from the International Bureau (PCT Rule 17.2(a)).							
* See the attached detailed Office action for a list of the certified copies not received.							
Attachmen	t(s)						
	e of References Cited (PTO-892)	4) Interview Summary					
3) Infor	e of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) r No(s)/Mail Date	Paper No(s)/Mail D. 5) Notice of Informal F 6) Other:	ate Patent Application (PTO-152)				

DETAILED ACTION

- 1. This action is written in response to applicant's correspondence submitted on .
- 2. Currently, claims 1-16, 18-27, and 29-33 are pending in the instant application. Claims 17 and 28 have been canceled. Claim 33 is newly added. All the amendments and arguments have been thoroughly reviewed but were found insufficient to place the instantly examined claims in condition for allowance. The following rejections are either newly presented, or are reiterated from the previous office action. Response to arguments follow. This action is **FINAL**.

Maintained Rejections

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 4. Claims 1, 7-10, 13-15, 18, 20-23, and 27 are rejected under 35 U.S.C. 102(b) as being anticipated by Cantor et al (US Patent 5795714 Aug 1998).

Cantor et al. teach a method of replicating a probe array to screen biological samples for specific target sequences.

With regard to claim 1 and 27, Cantor et al. teach synthesizing one or more sets of nucleic acid probes simultaneously on a solid support (contacting (labeling) the substance (solid support) with at least one predefined nucleic acid molecule) (see column 8, lines 37-40). Cantor

et al. teach a method comprising creating a set of nucleic acid probes (first group of predefined nucleic acid molecules), wherein each probe has a double stranded portion, a single stranded portion, and a random sequence within the singe stranded portion (selecting at least one nucleic acid molecule) which is hybridized to a nucleic acid target (providing a second group of nucleic acid molecules with a detection sequence and contacting the substance (first group of predefined nucleic acid molecules attached to a solid support) with the nucleic acid molecules provided from the second group under predefined hybridization conditions) to the set of nucleic acid probes and determining the nucleotide sequence of the target which hybridized to the single stranded portion of any probe (detecting hybridization wherein hybridization identifies the substance) (see column 7, lines 11-20). Furthermore, Cantor et al. teach biotinylated double stranded probes (first nucleic acid group) attached to streptavidin coated beads adhered to polystyrene surface by spotting biotinylated compounds individually onto the streptavidin coated surface (predefined sites on substance, solid support) followed by hybridization of the target sequence to the probe by annealing and ligating the target sequence to the probe attached to the polystyrene beads (see column 20, lines 66-67, column 21, lines 1-8 and see column 31, lines 53-67) (second group of nucleic acid molecules bound to a predefined site on a solid surface).

With regard to claim 7-9, Cantor et al. teach attaching the nucleic acid probe to a solid support by immobilized 5'-labeled biotinylated DNA strands (coupling group, biotin) that consists of a variable 5 or 6 base segment plus the constant 15 base segment (see column 21, lines 59-66). The 5' labeled biotinylated DNA strand counteracts degradation caused by an exonuclease by protecting the 5' to exposure to the exonuclease.

Art Unit: 1634

With regard to claim 10, Cantor et al. teach the probe or the array of probes labeled with a fluorescent chemical (see column 9, lines 4-6 and lines 20-26).

With regard to claim 13 and 15, Cantor et al. teach one 5' end biotinylated strand of the probe duplex (predefined nucleic acid molecule) is attached to a solid surface (see column 19, lines 34-40) and teach moderately dense arrays can be made using a typical X-Y robot to spot the biotinylated compounds individually (predefined nucleic acid molecules) onto a streptavidin coated surface (particle) and streptavidin-coated beads can be adhered, permanently to plastics like polystyrene (instant claim 15) (see column 20, lines 65-67, column 21 lines 1-9).

With regard to claim 18, Cantor et al. teach a labeled probe or target molecule with a fluorescent chemical that may be directly or indirectly detected using scintillation fluid or a PhosphorImager, chromatic or fluorescent labeling or mass spectrometry (see column 9, lines 4-7 and lines 14-26) (complementary detection sequence detected by means of fluorescence).

With regard to claim 20, Cantor et al. teach the nucleic acids may be artificially synthesized (see column 6, lines 43-47).

With regard to claim 21 and 22, Cantor et al. teach the set of nucleic acid probes (first group of nucleic acid molecules) and target nucleic acid (second group of nucleic acid molecules) comprise PNA (nucleic acid analog) (see column 7, lines 20-24).

With regard to claim 23, Cantor et al. teach a target nucleic acid hybridized to a probed attached to a solid support, such as plastic, ceramic, metal, resin, film or other polymer, gel, membrane, or two or three dimensional array such as a chip or microchip (see column 12, lines 56-67).

Art Unit: 1634

Response to Arguments

5. The response traverses the rejection on pages 10 of the response mailed 06/19/2006. The response asserts that predefined is disclosed in the specification in that each member of the first group of nucleic acid molecules includes a known identification sequence which is complementary to a known detection sequence section of each member of the second group and therefore the first and second group are known. The response asserts further that the word in the originally written German application was translated from the word "vorgegebem". Applicants assert that the sequence must be known in order to be specified or predetermined and a known sequence is opposite of a random sequence. This response has been thoroughly reviewed but not found persuasive. It is noted that the claims under examination are English words and that any previous applications from which the translation may have originated from are not under examination and are not considered as definitions of the terms in the instant application. Furthermore, the claims do not require that the sequence is known, the claims require that the nucleic acids are predefined. The features upon which applicant relies (i.e., known sequences) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See In re Van Geuns, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993). The claims do not require that sequence is known, the claims only require that the nucleic acid is predefined. As stated previously, a predefined nucleic acid molecule does not mean that the sequence of the nucleic acid is known or non-random, predefined means to define beforehand and the claim only requires that the nucleic acid molecule is defined beforehand. This could be interpreted to mean any group of nucleic acids which are selected to be used in the assay are "predefined nucleic acid

Page 5

Art Unit: 1634

molecules" therefore the cited reference does teach the claimed method of labeling and identifying a solid, liquid or gaseous substance using predefined nucleic acid molecules.

Furthermore, the specification does not define the term "predefined" as a known sequence nor the claims do not require that the sequence of the nucleic acids is known.

6. The response asserts on page 10, last paragraph, that applicants have amended claim 1 and 27 to clarify that not necessarily all of the IDS1-n and IDP1-n need to hybridize for identification to occur and it is a particular pattern of IDS1-n and IDP1-n that hybridize that allow identification or authentication of the substance. This response has been thoroughly reviewed but not found persuasive. It is noted that claim 1 and 27 are not currently amended. It is unclear to which version of claim amendments applicant is referring to or if claim 1 and 27 were intended to be amended, as claims 1 and 27 are not amended in the response submitted 06/19/2006. Furthermore, the features upon which applicant relies (ie, a particular pattern of IDS1-n and IDP1-n that hybridize that allow identification or authentication of the substance) is not recited in rejected claims. Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See In re Van Geuns, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993). The claims do not require that a specific hybridization pattern results that allow for identification or authentication of the substance. Furthermore, as stated in the previous office action, the claims recite a final process step of when hybridization does not occur between the IDS1-n of all of said selected nucleic acid molecules and said IDP1-n of said second group of nucleic acid molecules, the substance is not identified. Therefore the claim does not require that the substance be identified and therefore the cited reference does teach the claimed method.

For these reasons, and the reasons made of record in the previous office actions, the rejection is maintained.

New Grounds of Rejections

Claim Rejections - 35 USC § 102

7. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

8. Claims 1-15, 18-23, 27, 29-33 are rejected under 35 U.S.C. 102(b) as being anticipated by Lizardi et al. (US Patent 5854033, Dec 29, 1998). This rejection was previously presented in section 12 of the previous office action mailed 12/09/2005 and has been extended to newly added claim 33.

With regard to claim 1, 6-9, 13-15, 19, 23, 27, and 29-33, Lizardi et al. teach a method for detection of target nucleic acid sequences (see column 5, lines 1-3) (identification of substance). Lizardi et al. teach mixing an open circle probe (selecting a predefined nucleic acid molecule with an identification sequence section) with a target (substance) sample and incubating the probe with the target sample to promote hybridization (contacting with nucleic acid molecule and labeling the substance) (see column 19, lines 30-50) followed by amplification (claim 6). Lizardi et al. teach the amplified nucleic acid labeled by incorporation of biotin-16-UTP (claim 7-9, 13-15) can be detected by immobilizing the nucleic acid on a solid glass surface

Application/Control Number: 10/048,035 Page 8

Art Unit: 1634

(claim 23) by hybridization with a complementary DNA oligonucleotide (address probe) complementary to the target sequence present in the amplified nucleic acid (claim 6) (second group of nucleic acid molecules comprising complementary identification sequence and bound to a predefined site on a solid surface) and detecting hybridization (identifying substance) (see column 23, lines 35-52). Lizardi et al. further teach melting temperatures of target sequence (identification sequence) that are identical to the probe sequence as well as with small modifications (see column 32, lines 44-67) (claims 29-30).

With regard to claims 2-6, Lizardi et al. teach identification sections are located between two primer binding sequence sections, are complementary to each other and have the same melting point (see figure 1-3) (see column 6, lines 5-25).

With regard to claim 10-12 and 18 Lizardi et al. teach detection probes are labeled to oligonucleotides having sequence complementary to detection tags on TS-DNA and are preferable molecular beacons, probes labeled with fluorescent moieties (see column 11, lines 45-65).

With regard to claim 20, Lizardi et al. teach that the probes and primers can be synthesized using established oligonucleotide synthesis methods (see column 13, lines 60-68 and column 14, lines 1-16).

With regard to claim 21-22, Lizardi et al. teach peptide nucleic acid analogs can be used for both the right and left target probe (see column 13, lines 40-58).

Response to Arguments

9. The response traverses the rejection on page 11 of the response mailed 06/19/2005. The

response asserts that the reporter system of Lizardi et al. has nothing to do with the methods of independent claim 1, 27, 31, and 32. The response asserts that Lizardi et al. does not teach or suggest the claimed method of labeling and identifying a liquid, gaseous or solid or solid substance using a first and second group of nucleic acids where one group has an identification sequence section and each of the members have a detection sequence section. This response has been thoroughly reviewed but not found persuasive. Lizardi et al. does teach the claimed method. Lizardi et al. teach a method for detection of target nucleic acid sequences (see column 5, lines 1-3) (identification of substance). Lizardi et al. teach mixing an open circle probe (selecting a predefined nucleic acid molecule with an identification sequence section) with a target (substance) sample and incubating the probe with the target sample to promote hybridization (contacting with nucleic acid molecule and labeling the substance) (see column 19, lines 30-50) followed by amplification (claim 6). Lizardi et al. teach the amplified nucleic acid labeled by incorporation of biotin-16-UTP (claim 7-9, 13-15) can be detected by immobilizing the nucleic acid on a solid glass surface (claim 23) by hybridization with a complementary DNA oligonucleotide (address probe) complementary to the target sequence present in the amplified nucleic acid (claim 6) (second group of nucleic acid molecules comprising complementary identification sequence and bound to a predefined site on a solid surface) and detecting hybridization (identifying substance) (see column 23, lines 35-52). Lizardi et al. further teach melting temperatures of target sequence (identification sequence) that are identical to the probe sequence as well as with small modifications (see column 32, lines 44-67) (claims 29-30).

For these reasons, and the reasons made of record in the previous office actions, the rejection is maintained.

Application/Control Number: 10/048,035 Page 10

Art Unit: 1634

Claim Rejections - 35 USC § 103

10. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 11. Claims 1,2, 6, 16, 18, 24, 25, and 33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bumstead et al. (J. Virological Methods 65 (1997) 75-81) in view of Pastinen et al. (Human Mol. Genetics 13 (1998) vol. 7 pp. 1453-1462). This rejection was previously presented in section 14 of the previous office action mailed 12/19/2005 and has been extended to include the newly added claim 33.

Bumstead et al. teach a quantitative assay to determine the number of viral genomes present in samples by PCR amplification of the viral genome using fluorescent-tagged primers (abstract). Bumstead et al. teach 2µl cells (first group of predefined nucleic acid molecules) in a volume of 25ml PCR reaction (substance, thereby labeling substance) with 10pmol of primer (second group of nucleic acid molecules, wherein each nucleic acid molecule comprises a detection sequence section complementary to one of the identification sequences and contacting the substance with the nucleic acid molecules under predefined hybridization conditions). Bumstead et al. teach primers used to detect MDV to amplify a product of 279 bp (identification sequence of the predefined nucleic acid molecules). Bumstead et al. teach amplification of the PCR reaction and quantification of products of PCR by electrophoresis on a sequencer (detecting hybridization and identifying the substance). (see section 2.2 page 76-77). Bumstead et al. teach

primers used to amplify a product of 279 bp (identification sequence located between two primer binding sequence sections). (see section 2.2 page 76) (claim 2). Bumstead et al. teach amplification of product 279 of MDV by two primers by PCR. (see section 2.2 page 76-77) (claim 6 and 24). Bumstead et al. teach amplification of Marek's disease virus (particle), a herpes virus (abstract), from cells by PCR. The cells contain MDV and were not purified. The MDV contains the 279 bp region of the MDV genome. Bumstead teaches a particle (MVD virus) that is a virus-like particle included in the predefined nucleic acid molecule (MVD genome) (1st paragraph, 2nd column, page 76 and section 2.2, page 76-77). Bumstead et al. teach quantification of the fluorescent bands from the PCR products by ABI Genescna software (detection by fluorescence of the hybridization of the identification sequence section with the complementary detection sequence section) (see 1st paragraph, 1st column, page 77) (claim 18). Bumstead et al. teach the use of fluorescently labeled primer, primer 1 (1st paragraph, section2.2, page 76) (claim 25). Bumstead et al. does not teach a second set of nucleic acid molecules on a solid support.

Pastinen et al. teach an array-based multiplex analysis of candidate genes (see abstract).

Pastinen et al. teach microscopic glass slide with 12 wells were treated and 12 detection primers were printed in each of the 12 wells (see array preparation, page 1460). Pastinen et al. teach

PCR amplification and identification of substance by hybridization of PCR product on array (see page 1460, minisequencing reactions on primer array and signal detection). Pastinen et al. teach multiplex genotyping and miniaturized assay format has the advantage of small reaction volumes, fast reaction rates, and easy handling of multiple samples in parallel (see page 1451, 2nd column, last paragraph).

handling of multiple samples in parallel.

Art Unit: 1634

Therefore, it would have been prima facie obvious to one of ordinary skill in the art at the time the invention was made to improve the method of determine the number of viral genomes present in samples by PCR amplification of the viral genome using fluorescent-tagged primers by Burman et al. to include array analysis, as taught by Pastinen, to improve the method by Burman et al.. The ordinary artisan would have been motivated to improve the method of determining the number of viral genomes present in a sample by using PCR amplification and hybridization detection by Burman et al. with the method of array analysis by Pastinen et al. because Pastinen teaches multiplex genotyping and miniaturized assay format has the advantage of small reaction volumes, fast reaction rates, and easy handling of multiple samples in parallel. The ordinary artisan would have had a reasonable expectation of success that the use of array analysis could be used in the method of Burman et al. because both Burman et al. and Pastinen et al. using PCR amplification to identify genes and Pastinen et al. teach that PCR amplification and identification of substance by hybridization of PCR product on array allows for easy

Page 12

Response to Arguments

12. The response traverses the rejection on pages 12-13. The response asserts that Examiner is employing Applicants own disclosure to reach the claimed invention and assert that the suggestion or teaching must be found in the cited prior art and assert that the simple advantages disclosed by Pastinen et al. would not be sufficient motivation to combine the two references. The response asserts that neither reference, alone or combination, teach or suggest a first and second predefined nucleic acid group or identification of a substance. This response has been thoroughly reviewed but not found persuasive. Examiner is not relying upon applicants own

Application/Control Number: 10/048,035 Page 13

Art Unit: 1634

disclosure for motivation to combine the references, as stated before, the ordinary artisan would have been motivated to improve the method of determining the number of viral genomes present in a sample by using PCR amplification and hybridization detection by Burman et al. with the method of array analysis by Pastinen et al. because Pastinen teaches multiplex genotyping and miniaturized assay format has the advantage of small reaction volumes, fast reaction rates, and easy handling of multiple samples in parallel. The ordinary artisan would have had a reasonable expectation of success that the use of array analysis could be used in the method of Burman et al. because both Burman et al. and Pastinen et al. using PCR amplification to identify genes and Pastinen et al. teach that PCR amplification and identification of substance by hybridization of PCR product on array allows for easy handling of multiple samples in parallel. Furthermore, Furthermore, Bumstead et al. teach a quantitative assay to determine the number of viral genomes present in samples by PCR amplification of the viral genome using fluorescent-tagged primers (abstract), which includes a first group and second group of predefined nucleic acids that contain primer binding sites to identify a substance (viral genome) (see rejection above).

For these reasons, and the reasons made of record in the previous office actions, the rejection is <u>maintained</u>.

Conclusion

- 13. No claims are allowable.
- 14. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sarae Bausch whose telephone number is (571) 272-2912. The examiner can normally be reached on M-F 10am-7pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ram Shukla can be reached on (571) 272-0735. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at (866) 217-9197 (toll-free).

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to (571) 272-0547.

Patent applicants with problems or questions regarding electronic images that can be viewed in the Patent Application Information Retrieval system (PAIR) can now contact the USPTO's Patent Electronic Business Center (Patent EBC) for assistance. Representatives are available to answer your questions daily from 6 am to midnight (EST). The toll free number is (866) 217-9197. When calling please have your application serial or patent number, the type of document you are having an image problem with, the number of pages and the specific nature of the problem. The Patent Electronic Business Center will notify applicants of the resolution of the problem within 5-7 business days. Applicants can also check PAIR to confirm that the problem has been corrected. The USPTO's Patent Electronic Business Center is a complete service center supporting all patent business on the Internet. The USPTO's PAIR system provides Internet-based access to patent application status and history information. It also enables applicants to view the scanned images of their own application file folder(s) as well as general patent information available to the public.

For all other customer support, please call the USPTO Call Center (UCC) at 800-786-9199.

CARLA J. MYERS

PRIMARY EXAMINER

arae Rausch, PhD.

Examiner
Art Unit 1634